

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below.

Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Abilify	Bi-Polar / Schizophrenia	N/A	Decline
Accupril	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Accuretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Acebutolol HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Aceon	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Actoplus	Diabetes	N/A	See '# ' Below
Actos	Diabetes	N/A	See '# ' Below
Advair	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Aggrenox	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Albuterol	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Aldactazide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Aldactone	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Allopurinol	Gout	N/A	See Impairment Guide
Altace	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Amantadine HCL	Parkinson's	N/A	Decline
Amaryl	Diabetes	N/A	See '# ' Below
Ambisome	AIDS	N/A	Decline
Amiloride HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Amlodipine Besylate / Benaz	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Amyl Nitrate	Angina / CHF	N/A	Decline
Antabuse	Alcohol / Drugs	4 years	Decline
Apokyn	Parkinson's	N/A	Decline
Apresoline	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Aptivus	AIDS	N/A	Decline
Aranesp	Kidney Dialysis	N/A	Decline
	Renal Insufficiency/Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below.

Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Arimidex	Cancer	8 years > 8 years	Decline Standard
Atacand	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Atamet	Parkinson's	N/A	Decline
Atenolol	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Atgam	Organ / Tissue Transplant	N/A	Decline
Atripla	AIDS	N/A	Decline
Atrovent / Atrovent HFA/ Atrovent (Nasal)	Allergies	N/A	Standard
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Avalide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Avandia	Diabetes	N/A	See '# ' Below
Avapro	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Avonex	Multiple Sclerosis	N/A	Decline
Azasan	Organ / Tissue Transplant	N/A	Decline
	Rheumatoid Arthritis	N/A	Decline
	Systemic Lupus (SLE)	N/A	Decline
Azathioprine	Organ / Tissue Transplant	N/A	Decline
	Rheumatoid Arthritis	N/A	Decline
	Systemic Lupus (SLE)	N/A	Decline
Azilect	Parkinson's	N/A	Decline
Azmacort	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Azor	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Baclofen	Multiple Sclerosis	N/A	Decline
Baraclude	Liver Disorder / Hepatitis	N/A	Decline
	Liver Failure	N/A	Decline
Benazepril HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Benicar	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Benlysta	Systemic Lupus (SLE)	N/A	Decline
Benzotropine Mesylate	Parkinson's	N/A	Decline
	Other Use	N/A	Standard

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Betapace	Heart Arrhythmia	N/A	Decline
	CHF	N/A	Decline
Betaseron	Multiple Sclerosis	N/A	Decline
Betaxolol HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
BiDil	CHF	N/A	Decline
Bisoprolol Fumarate	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Bromocriptine Mesylate	Parkinson's	N/A	Decline
Bumetanide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Bumex	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Buprenex	Alcohol / Drugs	4 years	Decline
Bystolic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Calan	High Blood Pressure (HTN)	N/A	See '*' Below
Calcium Acetate	Kidney Dialysis	N/A	Decline
	Renal Insufficiency/Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Campath	Cancer	8 years > 8 years	Decline Standard
Campral	Alcohol / Drugs	4 years	Decline
Capoten	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Capozide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Captopril	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Carbamazepine	Seizures	N/A	See Impairment Guide
Carbatrol	Seizures	N/A	See Impairment Guide
Carbidopa	Parkinson's	N/A	Decline
Cardizem	High Blood Pressure (HTN)	N/A	See '*' Below
Cardura	High Blood Pressure (HTN)	N/A	See '*' Below
Cartia	High Blood Pressure (HTN)	N/A	See '*' Below
Carvedilol	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Casodex	Cancer	8 years > 8 years	Decline Standard
Catapress	High Blood Pressure (HTN)	N/A	See '*' Below
Cellcept	Organ / Tissue Transplant	N/A	Decline
Chlorpromazine	Schizophrenia	N/A	Decline
Clopidogrel	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Cogentin	Parkinson's	N/A	Decline
	Other Use	N/A	Standard
Combivent	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Combivir	AIDS	N/A	Decline
Complera	AIDS	N/A	Decline
Copaxone	Multiple Sclerosis	N/A	Decline
Copegus	Liver Disorder / Hepatitis / Chronic Hepatitis	N/A	Decline
Cordarone	Irregular Heartbeat	N/A	Decline
Coreg	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Corgard	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Corzide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Coumadin	Blood Clot / Deep Vein Thrombosis	N/A	See Impairment Guide
	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Cozaar	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Creon	Chronic Pancreatitis	N/A	Decline
Cyclosporine	Organ / Tissue Transplant	N/A	Decline
Cytoxan	Cancer	8 years > 8 years	Decline Standard
Daliresp	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Demadex	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Depacon	Seizures	N/A	See Impairment Guide
Depade	Alcohol / Drugs	4 years	Decline
Depakene	Seizures	N/A	See Impairment Guide
Depakote	Seizures	N/A	See Impairment Guide
Diabeta	Diabetes	N/A	See '#' Below
Diabinese	Diabetes	N/A	See '#' Below
Digitek	Irregular Heartbeat	N/A	Decline
	CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Digoxin	Irregular Heartbeat	N/A	Decline
	CHF	N/A	Decline
Dilacor	High Blood Pressure (HTN)	N/A	See '*' Below
Dilantin	Seizures	N/A	See Impairment Guide
Dilatrate SR	Angina / CHF	N/A	Decline
Dilor	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Diovan	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Disulfiram	Alcohol / Drugs	4 years	Decline
Dolophine	Opioid Dependence	4 years	Decline
Donepezil HCL	Alzheimer's / Dementia	N/A	Decline
Duoneb	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Dyazide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Dynacirc	High Blood Pressure (HTN)	N/A	See '*' Below
Dyrenium	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Edecrin	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Edurant	AIDS	N/A	Decline
Eldepryl	Parkinson's	N/A	Decline
Emtriva	AIDS	N/A	Decline
Enalapril Maleate	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Enalaprilat	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Epitol	Seizures	N/A	See Impairment Guide
Epivir	AIDS	N/A	Decline
Eplerenone	CHF	N/A	Decline
Eskalith	Bi-Polar / Schizophrenia	N/A	Decline
Esmolol HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Exforge	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Felodipine	High Blood Pressure (HTN)	N/A	See '*' Below
Femara	Cancer	8 years > 8 years	Decline Standard

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Foscavir	AIDS	N/A	Decline
Fosinopril Sodium	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Fosrenol	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Furosemide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Gabapentin	Seizures	N/A	See Impairment Guide
	Restless Leg Syndrome	N/A	Standard
Gleevec	Cancer	8 years > 8 years	Decline Standard
Glipizide	Diabetes	N/A	See '#' Below
Glucophage	Diabetes	N/A	See '#' Below
Glucotrol	Diabetes	N/A	See '#' Below
Glyburide	Diabetes	N/A	See '#' Below
Glynase	Diabetes	N/A	See '#' Below
Haldol	Schizophrenia	N/A	Decline
Haloperidol	Schizophrenia	N/A	Decline
HCTZ/Triamterene	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Hectoral	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Heparin	Blood Clot / Deep Vein Thrombosis	N/A	See Impairment Guide
Hepsera	Liver Disorder / Hepatitis	N/A	Decline
Hizentra	Immunodeficiency	N/A	Decline
Humalog	Diabetes	N/A	Decline
Humulin	Diabetes	N/A	Decline
Hydralazine HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Hydroxychloroquine	Systemic Lupus (SLE)	N/A	Decline
	Rheumatoid Arthritis	N/A	Decline
Hydroxyurea	Cancer	8 years > 8 years	Decline Standard
Hytrin	High Blood Pressure (HTN)	N/A	See '*' Below
Hyzaar	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Imdur	Angina / CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Imuran	Organ / Tissue Transplant	N/A	Decline
	Rheumatoid Arthritis	N/A	Decline
	Systemic Lupus (SLE)	N/A	Decline
Inamrinone	CHF	N/A	Decline
Inderal	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Inderide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Inspra	CHF	N/A	Decline
Insulin	Diabetes	N/A	Decline
Intron-A	Cancer	8 years > 8 years	Decline Standard
	Hepatitis C	N/A	Decline
Invirase	AIDS	N/A	Decline
Ipratropium Bromide	Allergies	N/A	Standard
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Isoptin	High Blood Pressure (HTN)	N/A	See '*' Below
Isordil	Angina / CHF	N/A	Decline
Isosorbide Dinitrate/ Mononitrate	Angina / CHF	N/A	Decline
Janumet	Diabetes	N/A	See '#' Below
Januvia	Diabetes	N/A	See '#' Below
Kaletra	AIDS	N/A	Decline
Kemadrin	Parkinson's	N/A	Decline
Kerlone	High Blood Pressure (HTN)	N/A	See '*' Below
	Glaucoma	N/A	Standard
Labetalol	High Blood Pressure (HTN)	N/A	See '*' Below
	Angina	N/A	Decline
Lamictal	Seizures	N/A	See Impairment Guide
	Bi-polar / Major depression	N/A	Decline
Lamotrigine	Seizures	N/A	See Impairment Guide
	Bi-polar / Major depression	N/A	Decline
Lanoxicaps	Irregular Heartbeat	N/A	Decline
	CHF	N/A	Decline
Lanoxin	Irregular Heartbeat	N/A	Decline
	CHF	N/A	Decline
Lantus	Diabetes	N/A	Decline
Larodopa	Parkinson's	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Lasix	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Leukeran	Cancer	8 years > 8 years	Decline Standard
Levator	High Blood Pressure (HTN)	N/A	See '**' Below
	Angina	N/A	Decline
Levemir	Diabetes	N/A	Decline
Levocarnitine	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Levodopa	Parkinson's	N/A	Decline
Lexiva	AIDS	N/A	Decline
Lipitor	Cholesterol	N/A	Standard
Lisinopril	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Lithium	Bi-Polar / Schizophrenia	N/A	Decline
Lodosyn	Parkinson's	N/A	Decline
Lopressor	High Blood Pressure (HTN)	N/A	See '**' Below
Losartan	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Lotensin	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Loxapine	Schizophrenia	N/A	Decline
Loxitane	Schizophrenia	N/A	Decline
Lozol	High Blood Pressure (HTN)	N/A	See '**' Below
Lupron	Cancer	8 years > 8 years	Decline Standard
Lyrica	Seizures	N/A	See Impairment Guide
Mavik	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Maxzide	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Mellaril	Schizophrenia	N/A	Decline
Metformin	Diabetes	N/A	See '# ' Below
Methadone	Opioid Dependence	4 years	Decline
Methadose	Opioid Dependence	4 years	Decline
Methotrexate	Cancer	8 years > 8 years	Decline Standard
	Rheumatoid Arthritis	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.



## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Metoprolol HCTZ	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Metoprolol Tartrate / Succinate	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Micardis	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Micronase	Diabetes	N/A	See '#' Below
Milrinone	CHF / Cardiomyopathy	N/A	Decline
Minipress	High Blood Pressure (HTN)	N/A	See '*' Below
Minitran	Angina / CHF	N/A	Decline
Mirapex	Parkinson's	N/A	Decline
	Other Use	N/A	Standard
Moban	Schizophrenia	N/A	Decline
Moduretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Moexipril HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Monoket	Angina / CHF	N/A	Decline
Monopril	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Mysoline	Seizures	N/A	See Impairment Guide
Nadolol	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Naloxone	Alcohol / Drugs	4 years	Decline
Naltrexone	Alcohol / Drugs	4 years	Decline
Narcan	Alcohol / Drugs	4 years	Decline
Natrecor	CHF	N/A	Decline
Navane	Schizophrenia	N/A	Decline
Neurontin	Seizures	N/A	See Impairment Guide
Nifedipine	High Blood Pressure (HTN)	N/A	See '*' Below
Nimodipine	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Nimotop	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Nitrek	Angina / CHF	N/A	Decline
Nitro-bid	Angina / CHF	N/A	Decline
Nitro-dur	Angina / CHF	N/A	Decline
Nitroglycerine / Nitrotab / Nitroquick/Nitrostat	Angina / CHF	N/A	Decline
Nitrol	Angina / CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below.

Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Normodyne	High Blood Pressure (HTN)	N/A	See '*' Below
Norpace	Irregular Heartbeat	N/A	Decline
Norvir	AIDS	N/A	Decline
Novolin	Diabetes	N/A	Decline
Novolog	Diabetes	N/A	Decline
Pacerone	Irregular Heartbeat	N/A	Decline
Pancrease	Chronic Pancreatitis	N/A	Decline
Parcopa	Parkinson's	N/A	Decline
Parlodel	Parkinson's	N/A	Decline
Pegasys	Liver Disorder / Hepatitis C / Chronic Hepatitis	N/A	Decline
Peg-Intron	Liver Disorder / Hepatitis C / Chronic Hepatitis	N/A	Decline
Pentam 300	AIDS	N/A	Decline
Pentamidine Isethionate	AIDS	N/A	Decline
Pergolide Mesylate	Parkinson's	N/A	Decline
Permax	Parkinson's	N/A	Decline
Phenobarbital	Seizures	N/A	See Impairment Guide
Phoslo	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Plaquenil	Systemic Lupus (SLE)	N/A	Decline
	Malaria	N/A	Standard
	Rheumatoid Arthritis	N/A	Decline
Plavix	Stroke / Heart or Circulatory Disease or Disorder	N/A	Decline
Plendil	High Blood Pressure (HTN)	N/A	See '*' Below
Prandin	Diabetes	N/A	See '#' Below
Prazosin	High Blood Pressure (HTN)	N/A	See '*' Below
Primacor	CHF	N/A	Decline
Prinivil	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Prinzide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Procardia	High Blood Pressure (HTN)	N/A	See '*' Below
Prograf	Organ / Tissue Transplant	N/A	Decline
Proleukin	Cancer	8 years > 8 years	Decline Standard
Prolixin	Schizophrenia	N/A	Decline
Propranolol HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Proventil	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Prozac	Depressive Disorder	N/A	Standard
Quinapril	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Quinaretic	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Ramipril	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline
Ranexa	Angina / CHF	N/A	Decline
Rapamune	Organ / Tissue Transplant	N/A	Decline
Rebetol	Liver Disorder / Hepatitis C / Chronic Hepatitis	N/A	Decline
Rebetron	Liver Disorder / Hepatitis C / Chronic Hepatitis	N/A	Decline
Rebif	Multiple Sclerosis	N/A	Decline
Renagel	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Renvela	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Requip	Parkinson's	N/A	Decline
	Restless Leg Syndrome	N/A	Standard
Ribavirin	Liver Disorder / Hepatitis C / Chronic Hepatitis	N/A	Decline
Rilutek	ALS / Motor Neuron Disease	N/A	Decline
Risperdal	Bi-Polar / Schizophrenia	N/A	Decline
Risperidone	Bi-Polar / Schizophrenia	N/A	Decline
Rituxan	Cancer	8 years > 8 years	Decline Standard
	Rheumatoid Arthritis	N/A	Decline
Ropinirole	Parkinson's	N/A	Decline
	Restless Leg Syndrome	N/A	Standard
Rythmol	Irregular Heartbeat	N/A	Decline
Serevent	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Seroquel	Bi-Polar / Schizophrenia	N/A	Decline
Sinemet/Sinemet CR	Parkinson's	N/A	Decline
Sodium Edecrin	High Blood Pressure (HTN)	N/A	See '**' Below
	CHF	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Sotalol Hydrochloride	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Sotalol HCL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Spiriva	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Spironolactone	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Sprycel	Cancer	8 years > 8 years	Decline Standard
Stalevo	Parkinson's	N/A	Decline
Starlix	Diabetes	N/A	See '# ' Below
Suboxone	Alcohol / Drugs	4 years	Decline
Subutex	Alcohol / Drugs	4 years	Decline
Sustiva	AIDS	N/A	Decline
Symbicort	Asthma	N/A	Standard
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Symmetrel	Parkinson's	N/A	Decline
Tambocor	Irregular Heartbeat	N/A	Decline
Tamoxifen	Cancer	8 years > 8 years	Decline Standard
Tarka	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Tasmar	Parkinson's	N/A	Decline
Tegretol	Seizures	N/A	See Impairment Guide
Tenex	High Blood Pressure (HTN)	N/A	See '*' Below
Tenoretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Tenormin	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Theo-Dur	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Theophylline	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Thioridazine	Schizophrenia	N/A	Decline
Thiothixene	Schizophrenia	N/A	Decline
Thorazine	Schizophrenia	N/A	Decline
Tiazac	High Blood Pressure (HTN)	N/A	See '*' Below
Tolazamide	Diabetes	N/A	See '# ' Below

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Tolbutamide	Diabetes	N/A	See '#' Below
Tolinase	Diabetes	N/A	See '#' Below
Toprol XL	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Torsemide	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Trandate	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Triamterene	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Tribenzor	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Trihexyphenidyl HCL	Parkinson's	N/A	Decline
Tresiba (Insulin)	Diabetes	N/A	Decline
Truvada	AIDS	N/A	Decline
Tyzeka	Liver Disorder / Hepatitis	N/A	Decline
Uniretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Univasc	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Valcyte	AIDS	N/A	Decline
Valproic Acid	Seizures	N/A	See Impairment Guide
Valstar	Cancer	8 years > 8 years	Decline Standard
Valturna	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Vascor	Angina	N/A	Decline
Vaseretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Vasotec	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Ventolin	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Verapamil	High Blood Pressure (HTN)	N/A	See '*' Below
Viaspan	Organ / Tissue Transplant	N/A	Decline
Viracept	AIDS	N/A	Decline
Viramune	AIDS	N/A	Decline
Viread	AIDS	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.

## SAFECARE TERM PRESCRIPTION REFERENCE GUIDE (continued)

Where medications used for more than one condition exist, alternate uses and appropriate levels of coverage are listed below. Suppose the insured had a medication prescribed within a time frame in the 'RX FILL WITHIN' column. For those conditions, the time frame impacts the Underwriting decision. If 'N/A' appears in this column, then the Underwriting decision will be the same regardless of when the insured filled the prescription.

MEDICATION	COMMON USE OF CONCERN	RX FILL WITHIN	PLAN ELIGIBILITY
Visken	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Vivitrol	Alcohol / Drugs	4 years	Decline
Warfarin	Blood Clot / Deep Vein Thrombosis	N/A	See Impairment Guide
	Stroke / Heart or Circulatory Disease or Disorder / Heart Valve Disease	N/A	Decline
Xeloda	Cancer	8 years > 8 years	Decline Standard
Xopenex	Asthma	N/A	See Impairment Guide
	COPD / Emphysema / Chronic Bronchitis	N/A	Decline
Zelapar	Parkinson's	N/A	Decline
Zemplar	Kidney Dialysis	N/A	Decline
	Renal Insufficiency / Failure	N/A	Decline
	Diabetic Nephropathy	N/A	Decline
Zestoretic	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Zestril	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Ziac	High Blood Pressure (HTN)	N/A	See '*' Below
	CHF	N/A	Decline
Zyprexa	Bi-Polar / Schizophrenia	N/A	Decline

\* **High Blood Pressure** — If controlled with 2 or fewer medications, the client could qualify for the plan. If controlled with 3 or more medications, the client will not be eligible for coverage.

# **Diabetes** — If diagnosed, treated, or taken medication prior to age 35, the client will not be eligible for coverage. If currently taking insulin shots or tobacco use within the past 12 months, the client will not be eligible for coverage. If combined with overweight, gout, retinopathy, or protein in the urine; the client is not eligible for coverage.